

[illegible]

Figure 1. A schematic diagram of the experimental design. The subjects were divided into two groups: the control group and the experimental group. The control group received a standard 12-week training program, while the experimental group received a modified 12-week training program. The modified program included a 4-week pre-training period followed by an 8-week training period. The subjects were then divided into two subgroups: the control subgroup and the experimental subgroup. The control subgroup received a standard 12-week training program, while the experimental subgroup received a modified 12-week training program. The subjects were then divided into two subgroups: the control subgroup and the experimental subgroup. The control subgroup received a standard 12-week training program, while the experimental subgroup received a modified 12-week training program.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

1. *Journal of the American Medical Association*, 1997; 277: 1033-1038.

| | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Per | Min | 116 | Min | 100 | Met | His | Asn | Leu | Gly | Lys | His | Leu | Asn | Per |
| 1 | | | | 6 | | | | | 10 | | | | | 11 |

| | | | | | | | | | | | | | | |
|-----|----|-----|------|-----|------|-----|-----|-----|-----|-----|-----|-----|------|-----|
| Mor | 10 | And | Varl | Gin | Trip | Don | And | Lys | Lys | Don | Gin | Asp | Varl | Hls |
| | | | 20 | | | | | 20 | | | | | | 80 |

$$\text{As: } \frac{130}{4} = 32.5 \quad \text{V: } \frac{140}{4} = 35 \quad \text{Al: } \frac{150}{4} = 37.5 \quad \text{Fe: } \frac{160}{4} = 40 \quad \text{Ar: } \frac{170}{4} = 42.5 \quad \text{Al: } \frac{180}{4} = 45$$

1961 The 1961 film was shot in

1. *Chlorophyll a* (Chl *a*)

Figure 1. A schematic diagram of the experimental design. The subjects were divided into two groups: the control group and the experimental group. The control group received a standard 12-week training program, while the experimental group received a modified 12-week training program. The experimental group was further divided into two subgroups: the low-intensity group and the high-intensity group. The low-intensity group received a low-intensity training program, while the high-intensity group received a high-intensity training program. The subjects were then divided into two groups: the control group and the experimental group. The control group received a standard 12-week training program, while the experimental group received a modified 12-week training program. The experimental group was further divided into two subgroups: the low-intensity group and the high-intensity group. The low-intensity group received a low-intensity training program, while the high-intensity group received a high-intensity training program.

• **Prevalence** = the proportion of a population that has a disease at a particular point in time

| | | |
|---|---|---|
| 1 | 2 | 3 |
| 4 | 5 | 6 |

Val Asp Arg Ala Gly Ser Val Ala Leu Asp Lys Lys Val Asp Arg
1 1

Val Leu Val Val Ser His Val Lys Ser Ser Gly Val Ala Arg Lys
1 1

Asp Arg Val Asp Val Leu Val Lys Ala Lys Ser Val

121

122

123 181

124 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200

240000

Ser Val Ser Glu Ile Val Leu Met His Asp Leu Gly Lys His Leu
1 1 10 11

Asp Ser Met Glu Arg Val Glu Trp Leu Arg Lys Lys Leu His Asp
20 25 30

Val His Asp Ile Val Ala Leu Gly Ala Leu Ala Leu Arg Asp
35 40 45

Ala Gly Ser Val Arg Leu Asp Lys Lys His Asp Arg Val Leu Val
50 55 60

Val Ser His Glu Lys Ser Leu Gly Val Ala Arg Lys Ala Asp Val
65 70 75

Asp Val Leu Ile Lys Asp Lys Ser Val